## **DECLARATION OF PERFORMANCE**

## According to Regulation (EU) n°305/2011

Unique identifier code for product-type / N° :

Model :

Intented uses of the product in accordance with the applicable harmonised technical specification :

Manufacturer :

Assessment and verification system for constancy of performance :

Notified body : Test report number (based on System 3) : 21-RPC2011/03/22

EMIFOCUS hublot

Roomheater burning solid fuel without hot water supply

CE

Atelier Dominique Imbert s.a.s. 3 Impasse Claque Patin 34380 Viols le Fort

System 3

Rhein-Ruhr Feuerstättenorüfstelle Gmbh (RRF), N° 1625 RRF – 40 11 2620

Declared performance :

| Harmonised technical specification :                                 | EN 13240:2001/A2:2004/AC:2007 |                       |
|--|-------------------------------|-----------------------|
|  | Safety in case of fire        |                       |
| Protection of combustible material                                   |                               |                       |
| Distance to combustibles :   | Rear                          | / cm                  |
|  | Side                          | 70 cm                 |
|  | Front                         | 80 cm                 |
|  | Floor                         | 50 cm                 |
| Hygiene,   | health and the environment    |                       |
| At nominal heat output   |                               |                       |
| Carbon monoxyde emission   | CO                            | 0,10 %                |
| Nitrogen oxides emission   | NOx                           | $65 \text{ mg/Nm}^3$  |
| Emission of organic gaseous carbon                                   | OGC                           | $106 \text{ mg/Nm}^3$ |
| Particulate matter emissions   | PM                            | $34 \text{ mg/Nm}^3$  |
| Safet  | y and accessibility in use    |                       |
| Data for installation to a chimney at nominal heat output            |                               |                       |
| Flue gas outlet temperature  |                               | 305 °C                |
| Minimum flue draught   |                               | 12 Pa                 |
| Flue gas mass flow   |                               | 8,9 g/s               |
| Data for installation to a chimney regarding fire safety on          | safety test heat output       |                       |
| Minimum T class of the appropriate chimney                           |                               | 400                   |
| Energy   | economy and heat retention    |                       |
| Appliance's thermal output and energy efficiency at nomin            | nal heat output               |                       |
| Space heat output  |                               | 9,0 kW                |
| Efficiency   |                               | 78 %                  |
| Space heating efficiency   |                               |                       |
| Seasonal space heating efficiency at appliance's nominal heat output |                               | 68 %                  |
| Energy efficiency index (EEI)  |                               | 103                   |
| Energy efficiency class  |                               | А                     |

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by: Laurent Gaborit Directeur Général

Signature :

A